

# SONOROUS<sup>®</sup> | FURNITURE

Sonorous provides audio&video related products with focus on quality, functionality and aesthetics. Founded in 2004, a solid position and reputation worldwide has been built up over the years. Now represented worldwide in more than 50 countries via strong partnerships with a global network of distributors.


Our products are engineered to meet the demanding needs of today's electronics and represent an attentive monitoring of market trends and changes. Continuous research into materials and finishes has been distinguishing characteristics of Sonorous.



# AUDIO VIDEO FURNITURE

## INDEX

|     |                      |       |
|-----|----------------------|-------|
| 001 | WOOD SERIES          |       |
|     | STUDIO SERIES        | 6-13  |
|     | RETRO SERIES         | 14-15 |
|     | MOOD SERIES          | 16-23 |
|     | LB SERIES            | 24-27 |
|     | TRN & TRD SERIES     | 28-31 |
| 002 | GLASS & METAL SERIES |       |
|     | PL SERIES            | 32-45 |
|     | NEO SERIES           | 46-53 |
| 003 | SOUND SYSTEMS        |       |
|     | SOUND SYSTEMS        | 54-59 |
| 004 | PRO SERIES           |       |
|     | PRO SERIES           | 60-61 |



# STUDIO SERIES

- FLAP DOOR WITH PUSH TO OPEN SYSTEM
- TOP SHELF AND FRONT DOOR TEMPERED GLASS OR FRONT DOOR WITH WOOD DECORS
- CABINET WITH BASE OR WALL HANGING
- ADJUSTABLE SHELVES FOR AV EQUIPMENT (ONLY FOR ST 160 161)
- EASY CABLE ACCESS BETWEEN SHELVES AND SECTIONS
- HIDDEN INFRARED REPEATER SYSTEM, REMOTE CONTROL FOR COMPONENTS BEHIND CABINET DOORS
- IR FRIENDLY FRONT GLASS (ONLY AVAILABLE FOR “I” MODEL)
- OPTIONAL BRACKET
- FULLY ASSEMBLED (A) OR DISASSEMBLED (D)
- ACOUSTIC FABRIC FOR AUDIO DEVICES INCLUDING CENTER SPEAKERS, SOUNDBARS

|        |        |       |       |
|--------|--------|-------|-------|
| ST 110 | ST 111 | ST360 | ST362 |
| ST 160 | ST 161 | ST361 | ST363 |
| ST 260 | ST 261 |       |       |

## BODY COLORS

WHT-WHITE



BLK-BLACK



F- FLAP  
I- IR FRIENDLY GLASS  
T- TEXTILE

## DOOR OPTIONS AND COLORS

### WOOD DECOR

WNT-WALNUT



OAK-OAK



TOR-TORTONA



AML-ANT. MOUNTAIN LARCH



MOL-MOLINA



### TEXTILE


GRY-GREY



OLV-OLIVE



IRN-IRON




BRD-BORDEAUX



NVY-NAVY




BLK-BLACK




### GLASS

WHT-WHITE



BLK-BLACK




HOW (I) GLASS LOOKS

I-BLK-BLACK



I-WHT-WHITE



STA 160T-BLK-OLV-WL








STA 360F-WHT-MOL-SL




### STA 110F-WHT-WHT-BS

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
52"




### STA 160F-BLK-WNT-BS

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
78"




### STA 260T-WHT-BLK-BS

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
78"




### STA 360I-WHT-WHT-SL

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
78"




STA 362I-WHT-BLK-SL

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
70"




STA 111T-BLK-OLV-BS

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
52"




STA 161I-WHT-WHT-BS

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




STA 261T-BLK-BLK-BS

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




STA 361F-BLK-BLK-SL

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




STA 363F-BLK-BLK-SL


- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"



Bracket Kit ST-ADP-SLV-4060



Bracket Kit ST-ADP-HBLK-5060







STA 110I-BLK-BLK-WL



STA 110F-BLK-BLK-BS

CODE SAMPLE

# STA 110F-WHT-WHT-BS


1 2 3 4 5 6 7

1- STUDIO SERIES

2- ASSEMBLE OPTION

- (A) - ASSEMBLED
- (D) - DISASSEMBLED

3- MODEL



4- DOOR OPTION

- (F) - FLAP (NOT APPLICABLE TO 260/261 MODELS)
- (I) - IR FRIENDLY (GLASS)
- (T) - TEXTILE

5- BODY COLOR

- (BLK) - BLACK
- (WHT) - WHITE

6- DOOR COLOR

- (WHT) - WHITE
- (BLK) - BLACK
- (MOL) - MOLINA
- (WNT) - WALNUT
- (OAK) - OAK
- (AML) - ANT. MOUNTAIN LARCH
- (TOR) - TORTONA
- (GRY) - GREY
- (OLV) - OLIVE
- (IRN) - IRON
- (BRN) - BORDEAUX
- (NYV) - NAVY

APPLICABLE DOOR  
OPTIONS

- |     |         |
|-----|---------|
| (F) | (I)     |
| (F) | (I) (T) |
| (F) |         |
| (F) |         |
| (F) |         |
| (F) |         |
| (F) |         |
| (T) |         |
| (T) |         |
| (T) |         |
| (T) |         |
| (T) |         |

7- FLOOR/WALL OPTION

- (BS) - BASE
- (WL) - WALL HANGING (EXCEPT 300 SERIES)
- (BW) - BASE & WALL HANGING
- (SL) - STEEL LEGS (ONLY AVAILABLE FOR 300 SERIES)

# RETRO SERIES

- Contemporary design to complement your décor
- Sturdy construction to support large screen TVs up to 70"
- Dimensions: 140/180 cm X 54 cm X 40 cm
- Max. Top load : 60 kg
- Optimum dimension to accommodate your AV equipment
- Conical solid wood feet
- Two sliding doors with several uni-decor colors
- Cable management system
- Adjustable shelves to optimize spaces for AV equipments

RTR 140  
RTR 180

## BODY COLORS

VIC-VICTORIA



MOL-MOLINA




## DOOR COLORS

BLK-BLACK




SLG-SILK GREY



TBL-TYROLIAN BLUE



WHT-WHITE



STG-STONE GREY



NGR-NIAGARA GREEN



CRY-CURRY



DGR-DARK GREY




PRP-PURPLE



RTR 140-MOL-CRY


## RTR 140-MOL-CRY

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
60"



## RTR 180-VIC-NGR

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
70"



# MOOD SERIES

- TEMPERED GLASS WITH FLAT POLISHED EDGE
- ANODIZED OR POWDER COATED ALUMINIUM PROFILES IN BACK COLUMN AND LEGS
- MELAMINE FACED WOOD OR NON-SCRATCH HIGH GLOSS FINISHING CABINETS
- CABINET FLAP FOR A/V EQUIPMENT
- CABINET FLAP FOR DVD HOLDER
- CABINET DRAWER WITH “SILENT STOP”
- INTEGRATED CABLE MANAGEMENT SYSTEM
- HIDDEN CASTERS
- (24°) SWIVEL SYSTEM
- ADJUSTABLE HEIGHT FOR BRACKET (+/- 75 MM)

|         |         |         |         |
|---------|---------|---------|---------|
| MD 8095 | MD 8143 | MD 9095 | MD 9240 |
| MD 8120 | MD 8220 | MD 9120 | MD 9135 |
| MD 8140 | MD 8240 | MD 9140 | MD 9340 |
| MD 8953 | MD 8340 | MD 9220 | MD 9540 |
| MD 8123 | MD 8540 |         |         |

## ALUMINIUM FINISHING

INX-INOX



HBLK-HIGH GLOSS BLACK



## GLASS COLORS

C-CLEAR



B-BLACK



## WOOD FINISHING

BLK-BLACK



RED-RED



AML- ANT. MOUNTAIN LARCH



LOAK-LIGHT OAK



WHT-WHITE



WNT-WALNUT



MOL-MOLINA




MD 9140-C-INOX-RED




MD 8095-C-INX-BLK

- MAX BRACKET LOAD  
40 KG
- IDEAL SCREEN SIZE  
40"




MD 8120-B-INX-AML

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




MD 8140-C-INX-WHT

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




MD 8953-C-INX-RED

- MAX BRACKET LOAD  
40 KG
- IDEAL SCREEN SIZE  
40"




MD 8123-C-INX-WNT

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




MD 8143-B-HBLK-BLK

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




MD 8220-B-HBLK-WNT

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




MD 8240-C-INX-RED

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




MD 8340-B-INX-BLK

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"



MD 8540-B-INX-MOL


- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"






MD 9095-C-HBLK-BLK

- MAX TOP LOAD 60 KG
- IDEAL SCREEN SIZE 48"




MD 9120-B-INX-WHT

- MAX TOP LOAD 80 KG
- IDEAL SCREEN SIZE 50"




MD 9140-B-HBLK-LOAK

- MAX TOP LOAD 80 KG
- IDEAL SCREEN SIZE 60"




MD 9220-B-INX-WNT

- MAX TOP LOAD 80 KG
- IDEAL SCREEN SIZE 50"




MD 9240-B-INX-LOAK

- MAX TOP LOAD 80 KG
- IDEAL SCREEN SIZE 60"




MD 9340-B-INX-AML

- MAX TOP LOAD 80 KG
- IDEAL SCREEN SIZE 60"




MD 9135-B-HBLK-BLK

- MAX TOP LOAD 50 KG
- IDEAL SCREEN SIZE 50"



MD 9540-B-INX-WNT

- MAX TOP LOAD 80 KG
- IDEAL SCREEN SIZE 60"





# LB SERIES

- LB 1620 / LB 1621**  
TOP PANEL COVERED WITH BLACK TEMPERED GLASS OR WALNUT WOOD DECOR  
TEMPERED GLASS FRONT DOORS, REMOTE CONTROL WORKS THROUGH  
REMOVABLE MIDDLE SHELVES  
MIDDLE DOOR COVERED WITH FABRIC (ONLY FOR LB 1621)  
SHELVES FOR AV EQUIPMENT / SUBWOOFER  
HIDDEN CASTERS
- LB 1123 / LB 2120**  
BLACK TEMPERED GLASS  
DRAWERS WITH PUSH TO OPEN SYSTEM  
HIDDEN CASTERS
- LB 1840 / 1540 / 1181**  
BLACK TOP PANEL COVERED WITH BLACK TEMPERED GLASS  
GLOSSY AND WOOD DECOR FRONT DOORS  
REMOVABLE MIDDLE SHELVES  
DRAWERS WITH PUSH TO OPEN SYSTEM

- LB 1123<sup>2</sup>

LB 1181<sup>4</sup>

LB 1540<sup>3</sup>

LB 1620<sup>1</sup>
- LB 1621<sup>1</sup>

LB 1840<sup>3</sup>

LB 2120<sup>2</sup>

## GLASS COLORS

B-BLACK



## BODY COLORS

BLK-BLACK



WHT-WHITE



WNT-WALNUT



## DOOR COLORS

GBLK-GLOSSY BLACK



WNT-WALNUT



MOL-MOLINA



GWHT-GLOSSY WHITE



OAK-OAK




TOR-TORTONA




LB 2120-B-HBLK-BLK




**LB 1123-B-HBLK-BLK**




**LB 1181-B-HBLK-BLK**




**LB 1540-OAK**




**LB 1620-WNT**




**LB 1621-B-BLK**



**LB 1840-WHT**



**LB 2120-B-HBLK-BLK**



# TRN & TRD SERIES


- TRN  
 TOP PANEL BLACK TEMPERED GLASS  
 WOOD CABINET WITH FLAP DOOR AND/OR DRAWERS  
 HIDDEN CASTORS  
 SHELVES FOR A/V EQUIPMENTS
- TRD  
 WOOD CABINET WITH FLAP DOWN OR SIDE OPENING DOORS  
 SHELVES FOR A/V EQUIPMENTS

- TRN 1113  
 TRN 1133  
 TRN 2110  
 TRN 2130
- TRD 90\*  
 TRD 100\*  
 TRD 120\*  
 TRD 150\*


GLASS COLORS


B-BLACK  


BODY COLORS

BLK-BLACK  
  
 WHT-WHITE  


DOOR COLORS

GBLK-GLOSSY BLACK  
  
 VIC-VICTORIA  
  
 LOAK-LIGHT OAK  



GWHT-GLOSSY WHITE  
  
 TRP-TROPICAL WALNUT  







TRN 1113

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 46"




TRN 1133

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 55"




TRN 2110

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 46"




TRN 2130

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 55"




TRD 90

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 42"




TRD 100

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 50"




TRD 120

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 55"



TRD 150

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 60"





# PL SERIES

TEMPERED GLASS WITH FLAT POLISHED EDGE  
ELLIPTICAL OR RECTANGLE SHAPED ALUMINIUM  
INTEGRATED CABLE MANAGEMENT SYSTEM  
HIDDEN CASTERS  
SWIVEL SYSTEM  
ADJUSTABLE HEIGHT FOR BRACKET

|         |         |         |                      |         |
|---------|---------|---------|----------------------|---------|
| PL 2000 | PL 2335 | PL 2500 | PL 2700 <sup>1</sup> | PL 3110 |
| PL 2100 | PL 2344 | PL 2510 | PL 2710 <sup>1</sup> | PL 3115 |
| PL 2130 | PL 2345 | PL 2511 | PL 2800 <sup>2</sup> | PL 3150 |
| PL 2195 | PL 2400 | PL 2515 | PL 2810 <sup>2</sup> | PL 3400 |
| PL 2200 | PL 2430 | PL 2610 | PL 3100              | PL 3405 |
| PL 2310 | PL 2495 | PL 2611 | PL 3105              | PL 3410 |
|         |         | PL 2620 |                      | PL 3415 |

## ALUMINIUM COLORS

### SLV-SILVER



### HBLK-HIGH GLOSS BLACK




### INX-INOX



## GLASS COLORS

### C-CLEAR




### B-PIANOBLACK



## PL2700-PL2710-PL2800-PL2810

### GLASS COLOR OPTIONS

#### WHT-WHITE




#### BLK-BLACK



#### RED-RED




#### GRP-GRAPHITE




PL 2000-C-SLV

- MAX BRACKET LOAD  
60 KG
- IDEAL SCREEN SIZE  
60"




PL 2100-B-SLV

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 2130-B-HBLK

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 2195-B-HBLK

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
40"




PL 2200-B-SLV

- MAX BRACKET LOAD  
30 KG
- IDEAL SCREEN SIZE  
40"




PL 2400-B-INX

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 2310-C-SLV

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 50"




PL 2335-B-HBLK

- MAX BRACKET LOAD 40 KG
- IDEAL SCREEN SIZE 60"




PL 2344-B-BLK

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 50"




PL 2345-B-BLK

- MAX BRACKET LOAD 40 KG
- IDEAL SCREEN SIZE 60"




PL 2430-B-INX

- MAX BRACKET LOAD 50 KG
- IDEAL SCREEN SIZE 50"




PL 2495-C-INX

- MAX BRACKET LOAD 40 KG
- IDEAL SCREEN SIZE 40"




PL 2500-B-INX

- MAX BRACKET LOAD 30 KG
- IDEAL SCREEN SIZE 40"




PL 2510-B-INX

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
60"




PL 2511-C-INX

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"



PL 2515-B-HBLK

- MAX BRACKET LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 2810-WHT  
SP 100-WHT






PL 2700-BLK-SLV

- MAX BRACKET LOAD 30 KG
- IDEAL SCREEN SIZE 55"
- GLASS COLOR OPTIONS
- WHT-WHITE
- BLK-BLACK
- RED-RED
- GRP-GRAPHITE




PL 2710-BLK-SLV

- MAX BRACKET LOAD 30 KG
- IDEAL SCREEN SIZE 55"
- GLASS COLOR OPTIONS
- WHT-WHITE
- BLK-BLACK
- RED-RED
- GRP-GRAPHITE




PL 2800-WHT

- MAX BRACKET LOAD 30 KG
- IDEAL SCREEN SIZE 55"
- GLASS COLOR OPTIONS
- WHT-WHITE
- BLK-BLACK




PL 2810-BLK

- MAX BRACKET LOAD 30 KG
- IDEAL SCREEN SIZE 55"
- GLASS COLOR OPTIONS
- WHT-WHITE
- BLK-BLACK




PL 3100-B-SLV

- MAX TOP LOAD 50 KG
- IDEAL SCREEN SIZE 50"




PL 3105-C-SLV

- MAX TOP LOAD 40 KG
- IDEAL SCREEN SIZE 40"




PL 3110-B-SLV

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 3115-B-HBLK

- MAX TOP LOAD  
40 KG
- IDEAL SCREEN SIZE  
40"




PL 3400-B-INX

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 3405-C-INX

- MAX TOP LOAD  
40 KG
- IDEAL SCREEN SIZE  
40"




PL 3410-B-HBLK

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
50"




PL 3415-C-INX

- MAX TOP LOAD  
40 KG
- IDEAL SCREEN SIZE  
40"




PL 3150-C-SLV

- MAX TOP LOAD  
60 KG
- IDEAL SCREEN SIZE  
60"




PL 2610-B-BLK

- MAX SHELF LOAD  
5 KG




PL 2611

- MAX LOAD  
5 KG



PL 2620-B-SLV

- MAX SHELF LOAD  
5 KG



PL 2620-B-SLV





# NEO SERIES

## SPECIFICATIONS

- TEMPERED GLASS WITH FLAT POLISHED EDGE
- CYLINDRICAL AND ELLIPTICAL SHAPED ALUMINIUM PROFILES
- INTEGRATED CABLE MANAGEMENT SYSTEM
- HIDDEN CASTERS


|          |          |         |         |          |
|----------|----------|---------|---------|----------|
| NEO 270  | NEO 370  | NEO 80  | NEO 95  | NEO 953  |
| NEO 290  | NEO 390  | NEO 81  | NEO 110 | NEO 1103 |
| NEO 2110 | NEO 3110 | NEO 803 | NEO 130 | NEO 1303 |
|          | NEO 3130 |         |         |          |

### GLASS COLORS

C-CLEAR



B-BLACK



### ALUMINIUM COLORS

SILVER



HIGH GLOSS BLACK




NEO 110-B-SLV






NEO 270

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
32"




NEO 290

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
40"




NEO 2110

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
46"




NEO 370

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
32"




NEO 390

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
40"




NEO 3110

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
46"




NEO 3110

- MAX TOP LOAD  
50 KG
- IDEAL SCREEN SIZE  
55"





NEO 80

- MAX TOP LOAD 30 KG
- IDEAL SCREEN SIZE 32"




NEO 81

- MAX TOP LOAD 30 KG
- IDEAL SCREEN SIZE 32"




NEO 803

- MAX TOP LOAD 40 KG
- IDEAL SCREEN SIZE 32"




NEO 95

- MAX TOP LOAD 40 KG
- IDEAL SCREEN SIZE 40"




NEO 110

- MAX TOP LOAD 40 KG
- IDEAL SCREEN SIZE 46"




NEO 130

- MAX TOP LOAD 40 KG
- IDEAL SCREEN SIZE 55"




NEO 953

- MAX TOP LOAD  
40 KG
- IDEAL SCREEN SIZE  
40"




NEO 95

- MAX TOP LOAD  
40 KG
- IDEAL SCREEN SIZE  
46"



NEO 1303

- MAX TOP LOAD  
40 KG
- IDEAL SCREEN SIZE  
55"



NEO 3110-C-SLV





# SOUND SYSTEMS



**ROXY**  
TEMPERED GLASS WITH FLAT POLISHED EDGE  
Ø 60 MM AND ELLIPTICAL SHAPED ALUMINIUM  
SQUARE SHAPED ALUMINIUM FOR RX 5040  
INTEGRATED CABLE MANAGEMENT SYSTEM (NOT AVAILABLE FOR RX 5040)

**SPEAKER**  
UNIVERSAL COMPATIBILITY  
ADJUSTABLE HEIGHT (FOR SP 300)

|                      |                     |
|----------------------|---------------------|
| RX 2130              | SP 100 <sup>1</sup> |
| RX 2140              | SP 200              |
| RX 2150              | SP 300              |
| RX 5040 <sup>2</sup> | SP 500              |
| RX 6040 <sup>3</sup> | SP 600              |


ALUMINIUM COLORS

SLV-SILVER



GLASS COLORS

C-CLEAR




WOOD COLORS

VIC-VICTORIA




RX 2130-B-HBLK

MAX TOP LOAD  
40 KG




RX 2140-B-SLV

MAX TOP LOAD  
40 KG




RX 2150-C-SLV

MAX TOP LOAD  
40 KG




RX 5040-B-INX

MAX TOP LOAD  
40 KG




RX 5040-TRP-HBLK

MAX TOP LOAD  
40 KG




RX 6040-B-BLK

MAX TOP LOAD  
40 KG




RX 6040-TRP-BLK


MAX TOP LOAD  
40 KG





SP 100-BLK



SP 100-WHT




SP 200-B-SLV




SP 300-B-HBLK



SP 500-BLK



SP 600-B-HBLK



# PROFFESIONAL SERIES

- PR 2000
- 360° EASY-MOVE CASTORS (LOCKING OPTION)
- CABLE MANAGEMENT
- ADJUSTABLE HEIGHT WITH TELESCOPIC POLES (50 CM FLEXIBILITY)
- AV TRAY FOR ELECTRONIC DEVICES
- WIDE MOUNTING PATTERN, 90° ROTATION 2 OPTIONS FOR TV POSITION (LANDSCAPE /PORTRAIT)
- TV HEIGHT ADJUSTMENT MIN. 100 CM, MAX 150 CM.
- UPPER VIDEO TRAY SUPPORT (PROJECTOR / CONFERENCE CALL CAMERA)

- PR 2550
- TEMPERED GLASS WITH FLAT POLISHED EDGE
- RECTANGLE SHAPED ALUMINIUM
- INTEGRATED CABLE MANAGEMENT SYSTEM
- HIDDEN CASTERS
- (24°) SWIVEL SYSTEM
- ADJUSTABLE HEIGHT FOR BRACKET

PR 2000  
PR 2550\*

## ALUMINIUM COLORS

HBLK-HIGH GLOSS BLACK



INX-INOX



## GLASS COLORS

C-CLEAR




B-PIANOBLACK



## PR 2000-N

MAX BRACKET LOAD  
45 KG

IDEAL SCREEN SIZE  
50"



## PR 2550-B-HBLK

MAX BRACKET LOAD  
50 KG

IDEAL SCREEN SIZE  
50"

24°

